



Seizures

Scope (Staff):	Nursing and Medical Staff
Scope (Area):	NETS WA

Child Safe Organisation Statement of Commitment

CAHS commits to being a child safe organisation by applying the National Principles for Child Safe Organisations. This is a commitment to a strong culture supported by robust policies and procedures to reduce the likelihood of harm to children and young people.

This document should be read in conjunction with this [disclaimer](#)

Aim

Summarise the considerations and standardise the approach to assessment and management for the safe retrieval of neonates with seizures.

Risk

Delays in recognition and/or management of seizures can place neonates at increased risk of deterioration and adverse neurological outcome.

Key points

Seizures in the newborn period may be difficult to detect. Symptoms can be subtle, and seizures can have different presentations depending on aetiology and pathophysiology.

Aetiology

- Hypoxic ischaemic encephalopathy (HIE).
- Hypoglycaemia
- Rare metabolic causes such as urea cycle disorders.
- Electrolyte abnormalities such as hypocalcaemia, hypomagnesemia.
- Intracranial haemorrhage.

- Infections (bacterial, viral -especially HSV).
- Structural brain malformations.
- Drug withdrawal.
- Benign Familial Neonatal Seizures.

Presentation

- Apnoea in a term infant should be considered seizure activity until proven otherwise.
- Subtle symptoms: staring, eye deviations, chewing, sucking, lip smacking.
- Clonic movements.
- Tonic movements.
- Tonic-clonic movements.
- Myoclonic movements.
- Consider using Neovision if available and there is diagnostic uncertainty.

Investigations

Urgent

- Blood gas analyses with electrolytes and PGL.
- Full Blood Count, CRP, Creatinine, Ca, Mg, and LFTs.
- Ammonia
- If aEEG on transport available, this may be useful in situations where there is diagnostic uncertainty. Also note aEEG is not a sensitive investigation and does not exclude seizures.

Where appropriate:

- Head Ultrasound.
- Conventional electroencephalography (EEG).
- Amplitude-integrated (a)EEG.
- Blood culture.
- Lumbar puncture.
- Urine metabolic screen.
- Plasma amino acids.
- Serum lactate, pyruvate.

- CSF for metabolic studies & infectious aetiology.
- Coagulation profile and thrombophilia screen.
- Further neuroimaging with CAT scan or MRI.
- Genetic testing.

Despite appropriate investigations, there will be cases, where no cause can be found.

Management

- Correct electrolyte disturbance if there is metabolic acidaemia
- If infection cannot be excluded, start IV antibiotics (Benzylpenicillin, Gentamicin) and if meningitis is suspected add cefotaxime
- If HSV cannot be excluded add acyclovir
- Consider intubation if the airway is unsafe (recurrent apnoeas, and/or seizures, encephalopathic)

Antiepileptic Medication

Indicated when neonate is in status seizure > 5 minutes and/or ≥ 3 /hour. The order of medications is as follows:

- [Phenobarbitone](#) - **first line**
 - 2nd loading dose can be given (up to total 40mg/kg) if seizure persists >20min.
- [Levetiracetam](#) – **second line**
 - Use if seizures persist >20min after 2nd loading dose of phenobarbitone.
- [Phenytoin](#) – **third line**
 - Consider Phenytoin only if seizures persist despite giving Phenobarbitone and Levetiracetam. Please discuss with on call neonatologist before considering Phenytoin.
- [Midazolam](#)
 - Consider only, if seizures persist despite treatment with phenobarbitone, phenytoin and/or levetiracetam.
 - Given as continuous infusion
- Consider [Lignocaine](#) in refractory cases. To be used under direction of on call NETS neonatologist.


With all antiepileptic medications, respiratory and cardiac depression may occur. Be prepared for [Intubation](#)

Related CAHS internal policies, procedures and guidelines

Neonatal Guideline [Seizures: Neonatal](#)
[Recognising and Responding to Clinical Deterioration](#)
 NETS WA [Intubation on NETS Retrievals](#).
 Neonatal Medication
 Levetiracetam
[Midazolam](#)
[Phenobarbitone](#)
[Phenytoin](#)

References and related external legislation, policies, and guidelines

This document can be made available in alternative formats on request.

Document Owner:	Neonatology		
Reviewer / Team:	Neonatology Coordinating Group / NETS WA		
Date First Issued:	August 2009	Last Reviewed:	January 2025
Amendment Dates:		Next Review Date:	January 2028
Approved by:	Neonatology Coordinating Group	Date:	January 2025
Endorsed by:	Neonatology Coordinating Group		
Standards Applicable:	NSQHS Standards:  Child Safe Standards: 1,10		

Printed or personally saved electronic copies of this document are considered uncontrolled



Healthy kids, healthy communities

Compassion

Excellence

Collaboration

Accountability

Equity

Respect

Neonatology | Community Health | Mental Health | Perth Children's Hospital