



GUIDELINE

Discharge/Transfer of Healthy Infants from Postnatal Ward

Scope (Staff):	Midwifery, Nursing and Medical Staff
Scope (Area):	KEMH Postnatal Wards

Child Safe Organisation Statement of Commitment

CAHS commits to being a child safe organisation by applying the National Principles for Child Safe Organisations. This is a commitment to a strong culture supported by robust policies and procedures to reduce the likelihood of harm to children and young people.

This document should be read in conjunction with this [disclaimer](#)

Aim

To identify newborn infants suitable for discharge from postnatal wards at KEMH.

Risk

Newborn infants are discharged without an adequate review and assessment prior to discharge from postnatal wards at KEMH.

Assessment

- The hospital stay of a healthy newborn infant should be long enough to allow identification of problems and to ensure that the mother is sufficiently recovered and prepared to care for herself and her newborn at home.
- Many neonatal cardiopulmonary problems related to the transition from the intrauterine to the extrauterine environment usually become apparent during the first 12 hours after birth.
- Other neonatal problems, such as jaundice, duct-dependent cardiac lesions, and gastrointestinal obstruction, may require a longer period of observation by skilled health care professionals either in hospital or at home. [See QRG](#)
- An appropriately credentialled health professional* can authorise the discharge of a well term newborn.

***Note: This is either a paediatric medical officer or a midwife who has successfully undertaken the Full Physical examination of the Newborn (FPEON).**

- Mothers and infants can be discharged and transferred to the Visiting Midwifery Service (community care) from 4 hours following an uncomplicated vaginal birth and at 24-72 hours following a caesarean section (if clinically appropriate and safe to do so), with appropriate follow-up arrangements for continuing postnatal care in the home environment.

Discharge of the Newborn who may require ongoing care

The postnatal ward neonatal consultant should be contacted for the following infants to approve the discharge and to decide if any follow-up of the infant is needed:

- All preterm infants < 37 weeks gestation.
- All small-for-gestation infants < 2500 grams birthweight.
- Any infant who has been admitted to SCN / NICU.
- Any infant who has required care by the neonatal consultant, including (but not limited to):
 - Infants treated for sepsis.
 - Infants with any non-physiological cause for jaundice (e.g. ABO, Rh incompatibility, prolonged jaundice, etc.).
 - Infants with poor feeding, excessive weight loss (> 10% of birthweight).
 - Infants of diabetic mothers.
 - Any infant with an abnormal day 1 or discharge examination.
- Any infant whose mother has been under the care of WANDAS or CAMI Clinic antenatally, or in whom concerns regarding the social environment have been raised by ward staff or social workers.

Documentation of Day 1/Discharge check

- Document the **Day 1 Check** in the Neonatal History sheet (MR410) and infant's Purple book.
- The **Day 1 Check** may act as the **Discharge Check** until 72 hours after the examination. After 72 hours a **Discharge Check** is required within 48 hours of the discharge.
- These examinations are to be performed by an *appropriately prepared health professional and the results written in the neonatal history sheet (MR410) and infant's Purple Book, with printed name and signature.
- The following infants need a **Discharge Check** *in addition* to the **Day 1 Check**:
 - **Day 1 check** is >72 hrs old – document **Discharge Check** in Neonatal History (MR410) and amend already documented **Day 1 Check** in infant's Purple book if physical examination findings have changed.
 - Ex-neonatal in-patient – document **Discharge Check** in Neonatal History (MR410) and infants' Purple book.

Transfer of the Newborn to another Hospital

If transferring to another hospital, the receiving Paediatrician/GP/LMO MUST be contacted and agree to transfer.

A [Discharge/Transfer Letter](#) or NaCS summary for the eligible infants is to be completed to accompany the mother and newborn.

Transfer of the Newborn by Commercial Airline

Infants from regional / remote centres who require a commercial flight to be transferred to home, or a regional hospital require the following criteria to be fulfilled:

- Any medical or social issues outstanding must be discussed with the neonatal consultant *prior to initiating transfer (e.g. booking flights, etc)*.
- If less than 10 days of age, a **'Fitness to Fly'** clearance must be completed. This form is available from the ward clerk.
- The receiving Paediatrician / GP / LMO must approve the transfer, as must midwifery / nursing staff at the receiving hospital if an inter-hospital transfer.
- Infants under 35 weeks gestation at birth. Discuss with the neonatal consultant. In the event that in-flight supplemental oxygen is considered necessary, liaise with the Neonatal Discharge Co-ordinator (pager 3512) to co-ordinate:
 - Teaching of parents on use of the oxygen cylinder.
 - Flight oxygen clearance documentation.
 - Delivery of oxygen cylinder.

Related CAHS internal policies, procedures and guidelines

[Neonatology Guidelines](#)

References and related external legislation, policies, and guidelines


WNHS [Discharge of a Patient](#)

1. Benitz WE. Hospital stay for healthy term newborn infants. Pediatrics 2015;135(5):948-953
2. Brown S, Small R, Argus B, Davis PG, Krastev A. Early postnatal discharge from hospital for healthy mothers and term infants. Cochrane Database of Systematic Reviews 2002, Issue 3. Art. No. :CD002958. DOI: 10.1002/14651858.CD002958.

Useful resources (including related forms)

[Discharge/Transfer Letter](#)

This document can be made available in alternative formats on request.

Document Owner:	Neonatology		
Reviewer / Team:	Neonatal Coordinating Group/ KEMH Clinical Midwifery Consultants		
Date First Issued:	August 2015	Last Reviewed:	June 2024
Amendment Dates:		Next Review Date:	June 2027
Approved by:	Neonatal Coordinating Group	Date:	25 th June 2024
Endorsed by:	Neonatal Coordinating Group		
Standards Applicable:	NSQHS Standards:  Child Safe Standards: 1,10		

Printed or personally saved electronic copies of this document are considered uncontrolled



Healthy kids, healthy communities

Compassion

Excellence

Collaboration


Accountability

Equity

Respect

Neonatology | Community Health | Mental Health | Perth Children's Hospital

Appendix 1 – Discharge/Transfer Quick Reference Guide



*Or an appropriately trained health professional is either a paediatric medical officer or a midwife who has successfully undertaken the Full Physical examination of the Newborn (FPEON).